

# Low-Power Design Techniques for Internet of Things (IoT) Devices: Current Trends and Future Directions

#### T M Sathish Kumar

Associate Professor Department of Electronics and Communication Engineering, K S R College of Engineering

#### **KEYWORDS:**

Low-Power Design, Internet of Things (IoT), Energy Efficiency, Power Management

#### ARTICLE HISTORY:

 Submitted
 11.04.2024

 Revised
 18.05.2024

 Accepted
 19.06.2024

DOI: https://doi.org/10.31838/ECE/01.01.04

#### **Abstract**

The rapid growth of Internet of Things (IoT) devices has highlighted the need for lowpower design techniques to extend battery life and ensure sustainable operation. This article explores the current trends and future directions in low-power design for IoT devices. It starts by emphasizing the importance of power efficiency in IoT and the specific challenges that arise from diverse applications and environments. The article then covers recent advancements in low-power hardware, including new developments in microcontrollers, sensors, and communication protocols. Energyefficient software approaches, such as power-aware programming and dynamic power management, are examined for their vital role in reducing energy consumption. Additionally, the article looks at innovative energy harvesting methods, like solar, thermal, and ambient energy solutions, which can support lowpower designs. Real-world examples demonstrate successful low-power IoT applications in various fields, including smart homes, industrial environments, and wearable technology. The article also discusses ongoing challenges and limitations in balancing performance, power, and security. Finally, it explores future trends, such as the impact of artificial intelligence, new materials, and autonomous IoT systems on low-power design. This comprehensive analysis aims to provide a clear understanding of the evolving field of low-power IoT design, highlighting both current practices and future innovations.

Author's e-mail: tmsathish123@gmail.com

**How to cite this article:** T M Sathish Kumar. Low-Power Design Techniques for Internet of Things (IoT) Devices: Current Trends and Future Directions. Progress in Electronics and Communication Engineering, Vol. 1, No. 1, 2024 (pp. 19-25).

# INTRODUCTION

The Internet of Things (IoT) is reshaping technology by linking numerous devices and enabling smooth interactions between physical and digital realms. From smart home devices to industrial sensors, IoT gadgets are revolutionizing our lifestyles and work environments. IoT application for the smart home is shown in Figure 1. However, the widespread adoption of these devices poses significant challenges, particularly regarding power consumption and efficiency. As IoT devices become more common, the necessity for low-power design techniques becomes crucial to ensure their sustainable and effective operation [1].



Figure 1. variety of IoT devices in smart homes.

Selecting energy-efficient hardware components is a vital aspect of low-power design for IoT devices. Recent advancements in semiconductor technology have led to the development of ultra-low-power microcontrollers, sensors, and communication modules tailored for loT use. These components are engineered to consume minimal power during both active and idle states, employing techniques like dynamic voltage and frequency scaling (DVFS), power gating, and energy-efficient signal processing [2]. For instance, modern microcontrollers offer multiple power-saving modes that can be adjusted based on the device's operational requirements, resulting in significantly reduced power consumption. Optimizing communication protocols is also key to

reducing power usage in IoT devices [3]. Wireless communication, essential for IoT connectivity, often consumes a considerable portion of a device's power budget. Therefore, developing energy-efficient communication standards such as Bluetooth Low Energy (BLE), Zigbee, and LoRaWAN is crucial. Figure 2 shows the comparison of power consumption between Bluetooth, Zigbee and WiFi. These protocols are designed to minimize power consumption during data transmission and reception by utilizing techniques like adaptive duty cycling, low-power listening, and efficient packet scheduling. Βv decreasing the time and energy spent on wireless communication, these protocols extend the battery life of IoT devices.




Figure 2. Power consumption for ZigBee, Bluetooth, and Wi-Fi [4]

Efficient data processing is another crucial element in low-power IoT design. IoT devices generate vast amounts of data that require processing, analysis, and transmission, often under constrained power conditions. Implementing efficient data processing algorithms such as lightweight machine learning models and edge computing techniques can significantly reduce power consumption. Edge computing, in particular, enables data processing to occur locally on the device rather than relying solely on cloud-based servers. This reduces the data that needs to be transmitted, lowering power consumption and latency while enhancing data privacy and security.

Despite advancements, challenges remain in achieving ultra-low-power IoT devices. Balancing power consumption with performance requirements is intricate, as IoT applications vary widely in data rates, latency, and computational demands. Ensuring that low-power techniques do not compromise functionality and responsiveness requires careful consideration. Security is another critical concern, as implementing robust measures often incurs additional power overhead. The diversity of IoT devices and applications also presents challenges in developing universal low-power design techniques. Collaborative efforts among hardware designers, software developers, and system integrators are essential to standardized establish frameworks and best practices. The future of low-power IoT devices holds immense promise, with emerging technologies like flexible electronics, nanomaterials, and advanced energy solutions storage poised to drive transformative changes across various industries.

# **Current Trends in Low-Power Hardware for IoT**

The increasing use of Internet of Things (IoT) devices is transforming various sectors, from homes and cities to industries and healthcare [5]. However, the widespread adoption of IoT devices presents significant challenges, particularly in terms of power consumption and efficiency. To address these challenges, low-power hardware solutions are evolving to ensure the sustainable operation of IoT ecosystems. This article explores the current trends in low-power hardware for IoT devices, focusing on advancements in microcontrollers, sensors. communication modules, and energy harvesting technologies [6].

Microcontrollers are essential components of IoT operation and devices, managing their data processing tasks. Recent improvements in microcontroller design have led to the development of ultra-low-power variants specifically for IoT applications. These microcontrollers integrate energy-efficient processing cores and features like dynamic voltage and frequency scaling (DVFS) and power gating. DVFS allows microcontrollers to adjust their operating voltage and frequency dynamically based on workload requirements, optimizing power consumption without sacrificing performance. Power gating enables selective shutdown of unused circuitry to minimize leakage current, further reducing overall power consumption during idle periods.

In addition to microcontrollers, sensors are crucial for IoT systems, collecting data from the environment. Low-power sensor technologies have advanced significantly, enabling continuous monitoring and data acquisition while conserving energy. One notable trend is the development of energy-efficient sensing mechanisms, such as micro-electromechanical systems (MEMS) and solid-state sensors. MEMS sensors offer high sensitivity and accuracy with minimal power consumption, making them ideal for IoT applications [7]. Solid-state sensors utilize semiconductor-based sensing elements to achieve low-power operation and robust performance in harsh environmental conditions.

Wireless communication is essential for connecting IoT devices and facilitating data exchange in IoT networks. To minimize power consumption, lowpower communication modules and protocols have been developed to optimize energy usage during data transmission and reception. Bluetooth Low Energy (BLE), Zigbee, and LoRaWAN are popular protocols used in low-power IoT applications. These protocols employ techniques like adaptive duty cycling and efficient packet scheduling to reduce energy while consumption maintaining reliable communication links. Advancements radio in frequency (RF) front-end design contribute to overall power savings in IoT communication systems.

Energy harvesting technologies offer an alternative approach to powering IoT devices by harnessing ambient energy sources such as light, heat, and motion [8]. These technologies convert energy from the surrounding environment into electrical power, supplementing or replacing conventional batterybased power sources. Solar cells, thermoelectric generators, and piezoelectric transducers are commonly used energy harvesting devices in IoT applications. Solar cells harvest energy from sunlight, providing a renewable power source for outdoor IoT Thermoelectric generators deployments. utilize temperature differentials to generate electricity, suitable for powering IoT devices in industrial and automotive settings. Piezoelectric transducers convert mechanical vibrations into electrical energy, offering a compact power source for IoT sensors and actuators.

Despite progress in low-power hardware for IoT, several challenges remain. Balancing power consumption and performance requirements in IoT devices is challenging as applications become more diverse and complex. Ensuring interoperability and compatibility among different low-power hardware components and communication protocols is essential for seamless integration and scalability of IoT systems. Security is another critical consideration, as low-power devices may be vulnerable to attacks. Implementing robust security measures without compromising energy efficiency is a significant challenge in low-power IoT design.

# **Energy-Efficient Software Strategies**

Efficiency in energy usage is increasingly critical in software development, especially with the prevalence of mobile devices, IoT systems, and cloud computing. Efficient software strategies are essential for conserving power in mobile devices, optimizing resource usage in data centers, and reducing environmental impact. This article examines various strategies for energy-efficient software design across different areas and their impact on enhancing energy efficiency in computing systems.

One primary approach to energy-efficient software design involves optimizing code execution to minimize computational overhead and resource Techniques consumption [9]. like algorithmic optimization, code restructuring, and loop simplification aim to streamline program execution and decrease CPU cycles, thereby reducing energy consumption. By eliminating unnecessary operations, optimizing memory access, and parallelizing computation, developers can significantly improve the energy efficiency of software applications. Additionally, utilizing compiler optimizations and profiling tools can help identify performance bottlenecks and inefficiencies, allowing developers to fine-tune their applications for better energy efficiency.

Another vital aspect of energy-efficient software design is minimizing idle CPU and system resource usage through power management techniques. Modern operating systems provide mechanisms for dynamic power management, enabling devices to enter low-power states when inactive or underused. Techniques like CPU frequency scaling, dynamic voltage and frequency scaling (DVFS), and CPU idle states (C-states) allow devices to adjust power consumption based on workload demands. By effectively managing CPU and system resources, energy-efficient software can reduce energy usage during idle periods without sacrificing performance.

Moreover, energy-efficient software design involves optimizing I/O operations and data transmission to reduce energy consumption in storage and communication subsystems. Techniques such as batching, compression, and data prefetching aim to disk 1/0 operations and network minimize transmissions, conserving energy in storage and networking devices. Additionally, employing energyaware scheduling algorithms and protocols can optimize data transfer rates and network usage. reducing latency and energy overhead in communication-intensive applications. By optimizing data movement and communication, energy-efficient software can mitigate the energy impact of storage and networking operations.

energy-efficient software Furthermore, design addresses power consumption in software-defined systems and virtualized environments like cloud computing platforms and data centers. Techniques such as workload consolidation, virtual machine migration, and resource allocation optimization help maximize resource utilization and minimize energy consumption in virtualized environments. Βv dynamically adjusting VM placement and resource allocation based on workload demands, energyefficient software optimizes resource usage and energy consumption in cloud-based infrastructures. Energy-aware scheduling policies and workload management strategies further enhance energy efficiency by balancing performance and power consumption across different workloads.

Additionally, energy-efficient software design involves leveraging energy-aware programming frameworks and libraries to facilitate the development of energyefficient applications. Frameworks like GreenIT and EnergyPlus provide developers with tools and APIs for and optimizing measuring, analyzing, energy consumption in software applications [10]. Integrating energy-aware features into application development frameworks enables developers to build energyefficient software that conserves resources and energy while maximizing performance. Incorporating energy profiling and monitoring capabilities into development environments allows developers to identify energy hotspots and optimize code for improved energy efficiency throughout the software development process.

# Innovative Energy Harvesting Techniques

Energy harvesting methods have emerged as innovative solutions for powering electronic devices without depending solely on conventional power sources like batteries or grid electricity. These methods utilize energy from various ambient sources, including light, heat, vibration, and radio frequency signals, to produce electricity [11]. This article explores several innovative energy harvesting techniques and their applications in sustaining electronic devices.

One pioneering approach is photovoltaic energy harvesting, which converts light energy from the sun or artificial light sources into electricity using photovoltaic cells [12]. Solar panels, comprised of multiple photovoltaic cells, are widely employed to harvest solar energy for a range of applications, from residential solar power systems to portable electronic devices. Recent advancements, such as perovskite solar cells and organic photovoltaics, have enhanced efficiency and reduced manufacturing costs, making solar energy harvesting more accessible and efficient. Another promising method is thermoelectric energy harvesting, which exploits temperature differences to generate electricity [13]. Thermoelectric generators (TEGs) consist of thermoelectric materials that produce a voltage when exposed to a temperature gradient. By harnessing waste heat from industrial processes, vehicle exhaust, or electronic devices, thermoelectric energy harvesting systems can convert thermal energy into electrical power, offering a renewable and sustainable energy source. Research is focused on improving the efficiency and scalability of thermoelectric materials and devices to enable broader adoption in various applications.

Piezoelectric energy harvesting is a technique that converts mechanical vibrations or deformations into electrical energy. Piezoelectric materials, such as certain crystals and ceramics, generate an electric charge in response to mechanical stress or strain. These energy harvesters can be integrated into vibrating structures, like machinery, vehicles, or infrastructure, to capture kinetic energy and convert it into electricity. They find utility in powering wireless sensor networks, structural health monitoring systems, and wearable electronics, where battery replacement or recharging may be impractical.

Radio frequency (RF) energy harvesting is gaining momentum as a means to capture ambient electromagnetic radiation from sources like Wi-Fi routers, cellular towers, and radio waves. RF energy harvesters employ antennas and rectifying circuits to capture and convert RF signals into usable electrical power. These devices offer a continuous power supply for low-power wireless sensors, RFID tags, and IoT devices, eliminating the need for batteries or wired power sources. Research aims to enhance the efficiency and range of RF energy harvesting systems to facilitate long-range wireless power transfer and broader application integration.

Additionally, kinetic energy harvesting techniques capture energy from motion or mechanical movement to generate electricity. Devices like electromagnetic generators, linear generators, and rotary generators can harvest energy from human motion, vehicle vibrations, or environmental forces like wind or water flow. These energy harvesters are utilized in wearable electronics, smart infrastructure, and remote sensing applications, providing a renewable and selfsustaining power source. Advances in materials and design have led to more compact and efficient kinetic energy harvesting devices suitable for a wide range of applications.

# **Case Studies of Low-Power IoT Applications**

Case studies offer valuable insights into the practical implementation and advantages of low-power IoT applications across various sectors. Here are several instances of successful deployments:

# **Smart Agriculture**

In agriculture, IoT technology is employed to monitor and optimize crop growth, irrigation, and resource utilization. For example, a smart irrigation system installed in a vineyard uses soil moisture sensors and weather data to determine the best watering schedules, reducing water usage and enhancing crop yields. Additionally, wireless sensor networks track environmental factors like temperature, humidity, and soil pH, providing farmers with real-time information to make informed decisions and enhance agricultural productivity.

# **Healthcare Monitoring**

Low-power IoT devices are essential for remote patient monitoring and healthcare management. Wearable sensors with biometric monitoring capabilities continuously monitor vital signs such as heart rate, blood pressure, and oxygen levels, allowing healthcare providers to remotely monitor patients' health and detect abnormalities in realtime. These devices empower patients with greater independence and convenience while enabling early intervention and preventive care, ultimately improving patient outcomes and lowering healthcare expenses.

#### **Asset Tracking**

IoT-based asset tracking solutions are widely used in logistics, transportation, and supply chain management to monitor the location and condition of goods in transit. Low-power GPS trackers and RFID tags attached to cargo containers, vehicles, and packages enable real-time tracking and monitoring of assets throughout the supply chain. This visibility enables businesses to optimize route planning, enhance inventory management, and prevent loss or theft of valuable assets, thereby improving operational efficiency and customer satisfaction.

#### **Smart Energy Management**

IoT-based energy management systems help organizations monitor and control energy usage in buildings, factories, and industrial facilities. Smart meters, sensors, and actuators integrated into building infrastructure enable real-time monitoring of consumption, occupancy levels, energy and environmental conditions. By analyzing data collected from these devices, organizations can identify energy inefficiencies, implement energy-saving strategies, and optimize building operations to reduce costs and minimize environmental impact.

### **Environmental Monitoring**

Low-power IoT sensors are deployed in environmental monitoring applications to collect data on air quality, water quality, and pollution levels in urban and industrial areas. These sensors continuously measure various environmental parameters and transmit the data to centralized monitoring systems for analysis and decision-making. For instance, IoT-enabled air quality monitoring stations installed in cities provide policymakers with insights into pollution levels and trends, enabling targeted interventions to improve public health and environmental quality.

These examples illustrate the diverse applications and benefits of low-power IoT technology across different industries. By leveraging IoT devices and systems, organizations can improve operational efficiency, optimize resource management, and drive innovation in their respective fields. As technology advances, the adoption of low-power IoT applications is expected to grow, leading to further advancements in sustainability, productivity, and quality of life.

# Challenges and Limitations in Low-Power IoT Design

Creating low-power IoT systems poses several hurdles and constraints that engineers must overcome to ensure optimal operation and functionality. These challenges stem from the complexity of IoT deployments, strict power limitations, and the necessity to strike a balance between energy efficiency, performance, and reliability. Here are some of the main difficulties and restrictions in designing low-power IoT systems:

## **Power Management**

Efficiently managing power consumption is crucial in low-power IoT design, especially since many IoT devices rely on battery power. Engineers need to implement strategies such as duty cycling, voltage scaling, and sleep modes to minimize energy usage during inactive periods without sacrificing responsiveness or functionality.

### **Energy Harvesting**

While energy harvesting offers the promise of selfsustainability and longer operational lifetimes for IoT devices, it brings challenges related to power availability and reliability. Variations in ambient sophisticated energy sources require energy harvesting circuits and algorithms to capture and store energy efficiently. Additionally, energy harvesting solutions introduce design complexities and cost considerations that must be carefully evaluated.

# Wireless Communication

Wireless communication is essential for IoT connectivity, but it can consume significant power, particularly during data transmission and reception. Optimizing wireless communication protocols and parameters is vital to reduce power consumption without compromising data throughput or reliability. Techniques like adaptive data rate control and packet aggregation can help mitigate power consumption in wireless IoT networks.

### **Security and Privacy**

Protecting IoT data from security threats and preserving user privacy are significant concerns. IoT often collect and transmit sensitive devices information, making them vulnerable to unauthorized access and data breaches. Robust encryption, authentication, and access control mechanisms are data necessary to safeguard integrity and confidentiality. Privacy-preserving techniques like data anonymization are also important for protecting user privacy and complying with regulations.

# **Scalability and Interoperability**

Ensuring interoperability among heterogeneous IoT devices and platforms is crucial for large-scale deployments. Integrating diverse IoT systems while ensuring seamless communication can be challenging, particularly when dealing with proprietary protocols and legacy systems. Standardization efforts and open-source protocols promote compatibility and

interoperability among IoT devices and ecosystems, but achieving true scalability and interoperability requires ongoing collaboration and standardization efforts across industry stakeholders.

Addressing these challenges requires a holistic approach that encompasses hardware design, software development, and system integration. By overcoming these obstacles, engineers can harness the full potential of low-power IoT technology and apply it in various applications such as smart cities, industrial automation, healthcare, and environmental monitoring.

### CONCLUSION

In summary, the utilization of low-power design methods is crucial for crafting efficient and sustainable Internet of Things (IoT) systems. Throughout our examination, we've delved into the latest trends, innovative strategies, real-world examples, and the hurdles in low-power IoT design. Engineers have an array of techniques available, from hardware optimizations to energy-efficient software tactics and creative energy harvesting methods, to fashion IoT devices that minimize power usage while maximizing functionality and dependability.

Though significant strides have been made in lowpower IoT design, there are persistent challenges. These include managing power complexities, ensuring the reliability of energy harvesting, optimizing wireless communication, addressing security and privacy issues, and resolving interoperability concerns. Tackling these hurdles requires continuous exploration, cooperation, and ingenuity across the IoT community.

Despite the obstacles, the potential rewards of lowpower loT technology are substantial. From prolonging battery life and reducing energy expenses to unlocking new possibilities and enhancing quality of life, low-power IoT devices have the capability to numerous sectors and transform realms. Βv surmounting technical challenges and embracing interdisciplinary approaches, engineers can unleash the full potential of low-power IoT design and lead us toward a more interconnected, efficient, and sustainable future.

#### REFERENCES

- [1] Jayakumar, Hrishikesh, et al. "Powering the internet of things." Proceedings of the 2014 international symposium on Low power electronics and design. 2014.
- [2] Antonio, Ryan Albert, et al. "Implementation of dynamic voltage frequency scaling on a processor for wireless sensing applications." TENCON 2017-2017 IEEE Region 10 Conference. IEEE, 2017.
- [3] Mahmoud, Mahmoud S., and Auday AH Mohamad. "A study of efficient power consumption wireless communication techniques/modules for internet of things (IoT) applications." (2016).
- [4] Asaduzzaman, Abu, Kishore K. Chidella, and Muhammad F. Mridha. "A time and energy efficient

parking system using Zigbee communication protocol." SoutheastCon 2015. IEEE, 2015.

- [5] Perwej, Yusuf, et al. "The internet of things (IoT) and its application domains." International Journal of Computer Applications 975.8887 (2019): 182.
- [6] Mojail, N. Disages K., et al. "Understanding Capacitance and Inductance in Antennas." National Journal of Antennas and Propagation 4.2 (2022): 41-48.
- [7] Sanislav, Teodora, et al. "Energy harvesting techniques for internet of things (IoT)." IEEE Access 9 (2021): 39530-39549.
- [8] Arab, Ali, and Qianmei Feng. "Reliability research on micro-and nano-electromechanical systems: a review." The International Journal of Advanced Manufacturing Technology 74 (2014): 1679-1690.
- [9] Mishu, Mahmuda Khatun, et al. "Prospective efficient ambient energy harvesting sources for iot-equipped sensor applications." Electronics 9.9 (2020): 1345.
- [10] Naik, Kshirasagar. "A survey of software based energy saving methodologies for handheld wireless communication devices." (2010): 2010.
- [11] Gibson, Katharine, And Y. Salamonson. "Image processing application: Overlapping of Images for faster video processing devices." International Journal of communication and computer Technologies 11.1 (2023): 10-18.
- [12] Capra, Eugenio, Chiara Francalanci, and Sandra A. Slaughter. "Is software "green"? Application development environments and energy efficiency in open source applications." Information and Software Technology 54.1 (2012): 60-71.
- [13] Paradiso, Joseph A., and Thad Starner. "Energy scavenging for mobile and wireless electronics." IEEE Pervasive computing 4.1 (2005): 18-27.
- [14] Yang, Shida, et al. "Recent advances in perovskite solar cells: efficiency, stability and lead-free perovskite." Journal of Materials Chemistry A 5.23 (2017): 11462-11482.
- [15] DiSalvo, Francis J. "Thermoelectric cooling and power generation." Science 285.5428 (1999): 703-706.