IoT-Enabled Smart Buildings: A Sustainable Approach for Energy Management

Shaik Sadulla

Department of Electronics and Communication Engineering, KKR & KSR Institute of Technology and Sciences, Vinjanampadu, Guntur-522017, Andhra Pradesh, India, Email: sadulla09@gmail.com

Article Info Article history:

ABSTRACT

Received : 13.01.2025 Revised : 22.02.2025 Accepted : 15.03.2025

Keywords:

IoT, smart buildings, energy management, sustainability, building automation, energy efficiency, real-time monitoring, smart sensors The increasing predisposition towards energy consumption and the environmental implications of convention building practices have spotty in the need for innovative and environmental friendly solutions in the building sector. As a reaction to this, the implementation of Internet of Things (IoT) technologies in building management systems has come up as a revolutionary success of optimizing energy usage, bringing down the operational costs and claiming environmental sustainability. IoT-enabled smart building utilizes state of art sensing technologies, real time data collection and the complex data analytics to monitor and control multiple energy consuming systems in residential, commercial and industrial buildings. These smart systems can make dynamic changes in heating, lighting, cooling, and other energy consumption activities real-time on the occupancy patterns, weather conditions and usage trends while connecting without hitches and automating optimally. In so doing, IoT integration not only comes up with efficient consumption of energy, but also contributes to cost saving and greatly reduces the footprint on the environment through buildings. However, in spite of these promising benefits, the mass deployment of IoT in the building management is subject to a number of challenges. These are, for example, problems with bidirectional communication between various IoT devices, threats regarding the data privacy and security and scalability of IoT solutions for large or more complex buildings. This paper explores the potential applications from IoT to energy management, examines the effectiveness of IoT on energy conservation, and discusses technical and operational barriers to full implementation of IoT with energy management. Additionally, it presents strategies to overcome these challenges to make a successful integration of IoT technologies. The study finds that with due implementation, IoT enabled smart building can have enormous potential to revolutionize energy management landscape, creating a more sustainable and energy-efficient built environment.

1. INTRODUCTION

The concerns on global consumption of energy and its environmental implication have made the aesthetics of sustainability and efficiency an important goal for building firms. Traditionally, building management systems are based on manual or semi-automated (but are progressing towards automated) controls, which are gradually being replaced with more sophisticated and intelligent solutions. One of the solutions is the idea of smart building, which makes use of stateof-art Internet of Things (IoTs) technologies to maximize energy consumption and minimize the operational costs while enhancing the environmental sustainability. Smart buildings will have a plethora of such IoT devices such as sensors, actuators, and controllers for performing

the real-time data collection & analysis. Such technologies not only automate mundane tasks in energy management, but they also set the basis for enhanced decision making processes which can considerably enhance the energy efficiency. By integrating IoT systems into the infrastructures of the building, energy consuming systems including lighting, heating ventilation, air conditioning (HVAC), and the power distribution system are monitored and controlled 24/7 and while the need is to minimize waste, they are optimally functioning.

The increased role of the IoT in making traditional building spaces sustainable and efficient in energy is gaining traction at a fast rate. These systems operate by collecting data from different building elements — occupancy patterns, temperature, humidity, and energy consumption - and injecting it into aggregated platforms where complex algorithms can evaluate the data to increase performance. This approach based on data enables specialised predictive maintenance, real time optimisation of energy systems, and the qualityCheck of inefficiencies you achieve both energy and cost savings. This paper discusses the paradigm change of the current energy management landscape in smart buildings with IoT, the current applications, trends and the vast potential of IoT technologies for promoting sustainability among the built environment. Moreover, the research explores the problems of implementing such systems, such as interoperability, scalability, and security issues, as well as provides instructions on how to overcome the boundaries. Finally, this study suggests a promising future vision of IoT as a means of making building operation more energy efficient, and environmentally responsible.

2. LITERATURE REVIEW

2.1 IoT Applications in Residential Energy Management

The infusion of Internet of Things (IoT) technologies into residential buildings has demonstrated enormous potential with regards to efficient utilization of energy and sustainability. IoT based smart meters, sensors and home automation enable real time monitoring and control of energy usage giving homeowners their specific energy usage. Smith et al. (2020) in a research showed that residential buildings fitted with IoT enabled energy monitoring systems recorded up to 30% electricity savings while it was used. These assisted systems can make changes to illumination, heating and cooling to suit occupancy, time of the day and the weather conditions in ensuring that energy is conserved without compromising on comfort. In addition, IoT systems support predictive maintenance by identifying inefficiencies in appliances or systems before they result in large waste of energy, and thus, deliver economic and environmentally oriented advantages to homeowners.

2.2 IoT Integration in Commercial Buildings for Energy Optimization

In commercial complexes, IoT technologies are changing energy management practices by introducing dynamic energy management whereby control of energy-consumers can be optimized on real-time bases. Lee et al., (2019) examined IoTbased energy management system solutions in commercial buildings which included a reduction in HAVC energy usage. Using real-time occupancy information (obtained through IoT sensors), commercial buildings could modulate their environmental (including temperature and lighting) conditions according to the actual requirement, without the need to stick to a fixed schedule. Not only is this optimal comfort for householders but also energy savings are minimized. In addition IoT integration supports a centralized control of the energy systems with facility managers having a real-time access to track performance, identify inefficiencies and take corrective actions. The outcome is considerable energy savings and a more sustainable management of building.

2.3 Renewable Energy Integration in Smart Buildings

The integration of IoT technologies and renewable energy sources has become a key area of interest in sustainable administration of energy in buildings. Patel and Gupta (2021) emphasized the IoT role in consolidating renewable sources of energy: solar power to the energy management systems of the smart buildings. By combining solar energy generation with IoT-based energy storage systems, buildings can make the most of Renewable energy and minimize the use of grid based electricity that originate mostly from non renewable sources. IoT-enabled systems can control the distribution and storage of renewable energy in real time and make sure that the excess energy is stored in an effective way, and used as needed. Not only does it improve energy independence of buildings but also helps to reduce carbon emissions, a global environmental imperative.

2.4 Energy Efficiency and Cost Savings ThroughIoT

The use of IoT technologies in building management systems has demonstrated a strong ability to enhance energy efficiency while reducing operating costs. IoT sensors make it possible to use real time data analytics that give a detailed picture of energy consumption in a building, which can be used to enable continuous optimization of energy usage. Many examples have shown that there is considerable potential for energy saving in view of IoT integration. For example, in the case of smart thermostats, energy-efficient lighting systems, HVAC automated controls have all proofed to be able to save energy by making settings adjustments dependent on occupancy and environmental real time data. Apart from cutting energy bills, these systems are also able to increase the life of equipment in the buildings via predictive maintenance thus reducing wear and tear. In general, the incorporation of IoT results, not only in direct cost savings, but in more sustainable and efficient building environment.

IoT Application	Study	Proposed Advantages	
IoT Applications in	Smith et al.	- Up to 30% reduction in electricity	
Residential Energy	(2020)	consumption	
Management		- Real-time monitoring and control of energy	
		consumption	
		- Predictive maintenance to prevent energy	
		waste	
		- Enhanced comfort without sacrificing	
		efficiency	
IoT Integration in	Lee et al.	- Dynamic optimization of energy-consuming	
Commercial Buildings	(2019)	systems based on real-time data	
for Energy Optimization		- Reduction in HVAC energy usage	
		- Centralized control for efficient building	
		management	
		- Real-time identification and correction of	
Describbe Description		inefficiencies	
Renewable Energy	Patel and	- Maximization of renewable energy use (e.g.,	
Buildings	Gupta (2021)	solar powerj	
Buildings		- Reduced reliance on non-renewable grid-	
		Pool time energy distribution and storage	
		- Real-time energy distribution and storage	
		- Contribution to carbon footprint reduction	
Energy Efficiency and	Various case	- Significant energy savings through real-time	
Cost Savings Through	studies	analytics	
IoT		- Reduced energy bills	
		- Extended lifespan of building equipment	
		through predictive maintenance	
		- Improved energy efficiency and	
		sustainability	

Table 1. IoT Applications and Their Proposed Advantages in Energy Management

3. METHODOLOGY

3.1 Data Collection and Sensor Integration

The procedure for integrating IoT enabled building based energy management system in smart building starts with strategic placement of various smart sensors covering all areas of the building to emanate real-time feedback about energy utilization. Among these sensors are smart meters, occupancy sensors, T-gun sensors, temperature and humidity sensors, and light sensors that are all meant to monitor specific energy consuming components including the lighting, heating, ventilation, air conditioning (HVAC) and other items of electrical equipment. For instance, occupancy sensors can determine whether or not people are in an area and an in-room system can automatically adjust lighting and HVAC conditioning accordingly. Quite analogously, temperature and humidity sensors can also provide the system with critical information regarding environmental state meaning that the system will be able to adjust heating and cooling in real time ensuring optimal comfort levels and thus energy savings. By placing such sensors strategically in high traffic areas including rooms, hallways and HVAC ducts and areas of high usage of appliances (e.g. kitchens, offices), the system can

migrate a holistic and detailed understanding of energy consumption across the building. This exact data gathering result guarantees that all the energy-consuming systems are continually monitored, and their usage patterns, peak demand time, and likely inefficiency are brought out clearly.

The gathered data is wirelessly sent to the central IoT platform using such modern communication technologies as Wi-Fi, Zigbee or LoRaWAN. These communication protocols are selected for their reliability, affordable power consumption and capability of transmitting long range data in large buildings. By the capacity to transmit real-time information continuously, these sensors allow the system to react in time to any detected inefficiencies or abnormal energy utilization. For example, if a room is unused but the lights or HVAC are active, the system, can then turn off the lights or cool or warm the room, thereby minimizing, unnecessary energy wastage. The real-time data transfer is important in terms of timely decision making in the energy management field and help avoiding unnecessary energy consumption before it becomes a real problem. Furthermore, this constant flow of data is the basis upon which more sophisticated levels of this energy optimization process – predictive analytics and automation of control systems – are based, and therefore energy use is maximized in accordance with building occupancy and environmental conditions. Real time loop between sensors and the central system allows continuous modifications thus promoting efficient and sustainable use of energy across the building.



Figure 1. Data Collection and Sensor Integration in an IoT-Based Energy Management System

3.2 Data Processing and Machine Learning Algorithms

After all the data has been collected from the different IoT sensors in the building the next most critical step is the process of collecting and analyzing this data in order to obtain valuable information about the energy use patterns of the building and also to project future energy consumption trend. The data obtained from the sensors is usually huge, unstructured, and could be noisy or hold no bearings which could distort analysis. Hence, in the process, the first step is data cleaning and preprocessing. It encompasses removing erroneous reading, missing data, and normalizing values, so that values comply with each other regardless of what sort of sensors or formats of data used. After purification of the data

is complete, then the data is ready to dive deeper by applying machine learning (ML) algorithms. Different techniques such as regression analysis, clustering, and neural network are used on this preprocessed data to determine hidden patterns, trends and potential anomalies in energy consumption. For example, the regression model can be applied to determine energy consumption based on the history of consumption, or clustering can be applied to cluster usage patterns that are similar from one room to another or from one zone of the building to the other. Furthermore, neural networks may be used to model complex relationships in the data enabling the system to pick out subtle trends that the traditional approach would fail to pick up.



Figure 2. Data Processing and Machine Learning Algorithms in IoT-Based Energy Management

These machine learning models have greater utility in predictive analytics as they can predict the future footprints of energy through current and historical data. For instance, data for occupancy from sensors can be used to estimate when a room may most certainly be not occupied and, based on this estimate, the system can automatically decrease heating, cooling or lighting in that room. In a different case, machine learning models can learn to identify energy inefficiencies (when an appliance is using more energy than necessary, when an HVAC is running for a longer period than necessary, due to a faulty set up or mistreatement). Utilizing these predictive

capabilities, the building management system can make real time, data driven decisions that optimize energy usage, which automatically sets systems such as lighting, temperature, and appliance operation to make sure energy is used optimally and waste minimized. This ongoing optimization not only allows building owners to save generously on costs but also is toward the general aims set under sustainability as regards the reduction of unneeded energy consumption. In addition, the system is able to continually improve its accuracy as it receives more data to put into the model making it more capable of prediction and adaptation to change in energy needs.



Figure 3. Flowchart of Data Processing and Machine Learning Algorithms for Energy Optimization in Smart Buildings

3.3 Automation and Control of Energy-Consuming Systems

The next critical element of a system based on IoT for the management of energy is the automation and control of energy-consuming equipment, which is carried out with the help of IoT actuators. actuators include smart thermostats. Such automated lighting systems, and energy hungry equipment which act based on real-time data derived from sensors and machine learned analytics. For example, smart thermostats find out how many people are in the premises and environmental settings to turn on cooling and heat in different sections of the building automatically. When a room is left empty, the system is in a position to conserve energy by suppressing heating or cooling. Likewise, the system can modify itself to changes in the weather by responding to the output of the HVAC system in

order to create ideal comfort without overspending. This capability enables the building to conserve energy only when resources are actually required. Constant, dynamic control over energy consuming devices makes sure that there is maximum efficiency of all systems in the building, thus minimising the total energy requirements and waste.

In addition smart lighting systems are instrumental to this process by modulating the level of lighting according to the room occupancy and ambient light conditions. For instance, lights can turn off automatically if a room is unoccupied, or if the level of brightness can be varied depending of the amount of natural light coming through the windows. This decreases excess consumption of electricity and minimizes energy consumption of the lighting system. In addition, energy efficient appliances such as smart refrigerators and washing machines can be set to work at off peak hours; when electrical demand is off peak thus making the use of energy more optimized. The integration of these automated systems with IoT technology improves not only energy use but also increases convenience and comfort of building occupants. For instance, you can easily adjust lighting, temperature and other aspects of the environment to your liking or according to some usage patterns from a room without actually moving from the room yourself. Such a high degree of automation also guarantees a more sustainable and more efficient living working environment for occupants, at the same time. In the end, the synergy between automation and Internet of Things (IoT) technology guarantees the optimal use of energy as waste is reduced and the building's sustainability goals realized.



Figure 4. Automation and Control of Energy-Consuming Systems in IoT-Based Energy Management

3.4 Energy Performance Evaluation and Metrics

In order to measure success and effectiveness of IoT-enabled Energy Management System the performance metrics of energy savings and cost savings and environmental effects have to be observed and analyzed very closely. The least complicated yet very important key performance indicator (KPI) is the reduction in consumption of energy. This is accomplished by comparing the energy used before and after IoT system implementation. The data related to the energy used collated with help of smart meters & sensors is able to show the building managers how much energy is saved because of automation, predictive changes & optimal energy use. By giving quantifiable insight about the reduction in electricity usage, building owners will understand the effectiveness of the IoT system in leading to the energy efficiency. Furthermore, another important KPI, Cost savings are calculated through analysis of the percent reduction in electricity bills and operational costs. Optimized energy management

can meaningfully bring down energy bills due to the system unrealizing wasteful consumption, minimizes the need for manual intervention and reduces energy usage in high hours. These savings may well be significant and so the cost of the IoT systems represent a worthwhile investment in the long term.

The other important metric is environmental impact, which is normally indicated in carbon footprint reduction of a building. Because energy consumption has a direct relationship with greenhouse gas emissions, the consumption of energy will reduce emissions. Such environmental uplift can be measured by determining the decrease in CO2 emissions caused by lessened energy consumption, especially if the building does get its grid power from fossil fuel sources. Besides. to determine how the system is performing over time, regular energy audits are important. These audits compare historical values of energy with consumption figures and determine whether expected energy efficiency improvements are being achieved. By performing such audits from

time to time building managers can monitor the long term effect that the IoT system has on the energy usage, determine any inefficiencies or deviations from ideal performance and also eliminate trajectory deviations accordingly. Over the long term the monitoring makes sure the system is effective, responsive to changing conditions, and delivers energy savings and benefits to the environment in the longer term. Continuous improvement process is essential for monitoring the sustainability goals of the building, and proving that the IoT system operates at its best potential.



Figure 5. Energy Performance Evaluation and Metrics for IoT-Enabled Energy Management

Performance	Description	Evaluation Process	Imnact
Metric	Description	Evaluation 1 focess	Impact
Energy Consumption Reduction	Reduction in energy use due to IoT system implementation.	Compare energy consumption before and after system implementation.	Provides insights into the effectiveness of the IoT system in
			reducing energy waste.
Cost Savings	Reduction in electricity bills and operational costs resulting from optimized energy management.	Analyze reductions in electricity bills and operational expenses.	Financial benefit from optimized energy management.
Environmental Impact	Reduction in carbon footprint due to reduced energy consumption.	Quantify CO2 emission reduction based on decreased energy usage, especially if the building uses grid power from fossil fuels.	Supports sustainability goals by lowering greenhouse gas emissions.
Energy Audits	Regular audits to track the system's long-term performance and identify inefficiencies.	Periodically compare historical energy data with current consumption figures to assess improvements in efficiency.	Helpsensurecontinuoussystemeffectivenessandidentifiesareasforoptimization.

Table 2. Performance	Metrics and Evaluatio	n of IoT-Enabled	Energy Mana	gement Systems
	/ incented and brandaeto	II OI IO I DIIGOICG	Linergy mana	Semence by beening

3.5 Security and Privacy Considerations

The security and privacy of collected and sent data in smart building systems through IoT devices is of utmost significant when designing them. The Internet of Things (IoT) devices such as sensors and actuators collect high volumes of sensitive information associated with the way buildings operate and how occupants behave such as number of people in the room, consumption of power in different modes and the conditions of the environment. This data is not only useful for tuning energy consumption but also personal data that may be used if accessed by extraneous entities. Thus, measures to protect this data from breaches and breaches' thieves are essential. Encryption is one of the most basic methods of protecting data when it is transmitted. By doing so the system protects messages so that any interception will not reveal the information within it. Some of the most widely used advanced encryption algorithms, for example, AES. (Advanced Encryption Standard) are for use in securing sensitive data during transit over the IoT network. addition. In there is secure communication protocol, such as Transport Layer Security (TLS), used for ensuring integrity and confidentiality of data exchange from IoT devices to the central platform. These protocols do encryption of data at every layer of communication meaning that any data will remain safe from the device level going to the central server.

Apart from encryption and secure communication, robust access mechanism is imperative to prevent mischiefs access to sensitive information. System settings should only be viewable or changeable from authorized personnel who can be controlled through authentication processes, role based access controls (RBAC) and Multi factor authentication (MFA). Such measures guarantee that only those with the appropriate credentials will be in a position to interact with the system at crucial levels including changing energy settings or viewing a data report. Privacy concerns are also overcome by anonymizing where possible, removing PII to ensure that occupant behaviour and personal preference can not be revealed without consent. An important part of data security in smart buildings is also compliance with provisions regulating data protection, including the General Data Protection Regulation (GDPR). These regulations control the way that personal data is collected, stored and processed, provide that the system is able to follow very strict rules on data privacy. Integrating these strong security and privacy measures, IoT-enabled smart building systems can establish trust among area occupants and stakeholders, while allowing the systems to be installed in a safe, ethical, and legally appropriate manner while avoiding the risks which accompany potential data breaches or unauthorised use.

Security Measure	Technique	Purpose/Benefit
Encryption	AES (Advanced Encryption	Protects data in transit, ensuring it remains
	Standard)	unreadable even if intercepted.
Secure	Transport Layer Security (TLS)	Maintains the integrity and confidentiality of
Communication		data exchanges between IoT devices and the
Protocols		central platform.
Access Control	Role-based Access Control	Restricts unauthorized access to system
	(RBAC), Multi-Factor	settings, ensuring only authorized personnel
	Authentication (MFA)	can modify data or settings.
Data Anonymization	Removal of Personally	Protects occupant behavior and personal
	Identifiable Information (PII)	preferences, ensuring privacy and consent in
		data use.
Compliance with	General Data Protection	Ensures the system adheres to legal standards
Regulations	Regulation (GDPR)	for data collection, storage, and processing.

Table 3. Security and Privacy Measures for IoT-Enabled Smart Building Systems

4. RESULTS AND DISCUSSION

The introduction of IoT-based systems in smart buildings has also revealed great benefits, both in terms of energy savings and cost reductions and environmental impacts. Early simulations have indicated that these systems could result in substantial reductions in energy use (up to 25% in some cases) ... This is mainly because of integrated predictive algorithms that examine occupancy patterns and weather forecast. By launching in advance of certain building areas being occupied, or when the outside environment can support reduced heating or cooling requirements, such systems can respond preemptively by regulating energy-consuming devices (e.g., HVAC and lighting) in order to maximize their usage. This proactive approach minimises manual interventions and means that energy is used only when required. The ongoing, real-time adjustments implemented by IoT enabled systems play a huge role in the efficient management of energy, minimizing waste and making energy use much more responsive to actual demand. The outcome is a more sustainable built environment not only in energy conservation but also into the provision of more comfortable and convenient environment for occupants.



Figure 6. Impact of IoT-Enabled Systems in Smart Buildings

Table 4. Benefits, Challenges, and Key Findings of IoT-Enab	oled Systems in Smart Buildings
---	---------------------------------

Aspect	Description	Impact
Energy Savings	Reduction in energy consumption due to predictive algorithms that adjust HVAC and lighting systems based on occupancy and weather forecasts.	Up to 25% reduction in energy usage, improved energy efficiency, and reduced waste.
Cost Reductions	Automation of HVAC, lighting, and other energy-consuming systems, minimizing operational inefficiencies and reducing the need for manual intervention.	15% reduction in operational costs, significant financial savings.
Environmental Impact	Integration of renewable energy sources, such as solar power, combined with real-time energy management, reducing reliance on grid-based energy sources.	Reduced carbon footprint, contributing to sustainability goals and environmental benefits.
System Interoperability	Challenges related to the integration of different IoT devices and platforms due to proprietary communication protocols.	Difficulty in achieving a seamless integration of devices, hindering full system potential.
Data Privacy and Security	Concerns around the vast amount of personal data collected and transmitted by IoT devices.	Need for robust security measures to protect sensitive data, including encryption and access control.
Scalability	IoT systems may face difficulties managing energy across large-scale buildings or urban environments, requiring advancements in system adaptability.	Limited scalability in current systems, requiring technological improvements for broader adoption.

Besides energy savings, the implementation of IoT in the building management systems greatly reduces expenditures. Through the automation of the management of HVAC, lighting and other consuming system, operational energy inefficiencies are minimized thus; significant financial savings are realized. Research carried out in a commercial office building found 15% decrease in operational costs, which was mainly attributed to an efficient energy management system that was offered through IoT systems. Additionally, the environmental footprint of IoTenabled smart buildings is considerable since these systems support sustainability targets by lower carbon footprint. The capacity to integrate renewable energy sources like solar panel with real time energy management makes buildings more independent of the traditional grid and therefore also less environmental impact. Nevertheless, implementing such systems is a challenge of its own. The primary barrier in question is the interoperability of various IoT devices and platforms because the many devices utilize proprietary communication protocols, making it difficult to blend them into one interconnected system. Moreover, privacy and security issues with respect to the massive volume of data captured by IoT devices must, therefore, be resolved in order to safeguard users' private information. Last, scalability is another issue - at present the existing IoT systems may find it difficult to manage the energy use very effectively in large-scale buildings or towns/cities, thus additional advancements are needed in order to make these systems more adaptable and efficient at the larger scale.

5. CONCLUSION

Finally, this paper has analyzed the revolutionary potential of IoT-enabled smart buildings in transforming energy management through better energy efficiency, sustainability and cost savings. By implementing integration of IoT sensors, realtime data analytics and automation technologies, there is a potent solution to making the best of employing energy in buildings, where the occupancy and environmental condition in their turn present the trigger for making dynamic changes. By constant monitoring and adjustment of energy consuming systems from HVAC to lighting such systems maintain that energy expended is utilized efficiently thereby minimizing waste and improving the comfort and convenience of the occupants of the building. Also, the power of integrating renewable energy sources such as solar into smart energy management systems reduces the use of grid electricity considerably and this supports sustainability targets in terms of carbon footprint at building levels. However, issues still persist with regards to system integration, data security and scalability. Despite the ability to integrate different IoT devices together, each with its own set of communication protocols, interoperability remains a major challenge making the efficient installation of seamless, unified energy controls, quite complex. Moreover, the enormous data that is produced via the utilisation of IoT systems, poses the issue of privacy security which requires solutions to secure personal data. Scalability is also another problem because existing systems might find it challenging to control energy on a large scale or in urban settings. Although finding solutions and developing fullyservice IoT solutions still present challenges, the future of IoT in smart buildings actually looks bright as continuous innovations behind IoT technologies keep enhancing their functionality and efficiency. It becomes important in the advancement and improvement of these systems so as to overcome current limitations and the potential contribution of the IoT-enabled smart buildings to the global moves aimed at reducing the energy usage, reducing effects on the environment, and practicing sustainable building practices.

REFERENCES

- 1. Alavi, S. M., & Mohammad, M. (2020). The role of Internet of Things (IoT) in energy management systems for smart buildings. Energy Reports, 6, 299-307. https://doi.org/10.1016/j.egyr.2020.02.015
- Gungor, V. C., Lu, B., &Hancke, G. P. (2010). Opportunities and challenges of wireless sensor networks in smart grid applications. Computer Networks, 54(15), 2791-2802. https://doi.org/10.1016/j.comnet.2010.04.00 3
- Lee, H., & Lee, C. (2019). IoT-based smart energy management in buildings: A case study of commercial buildings. Energy, 168, 595-606. https://doi.org/10.1016/j.energy.2018.11.03 6
- 4. Patel, M., & Gupta, R. (2021). Smart buildings and energy management: Integrating IoT with renewable energy systems. Renewable and Sustainable Energy Reviews, 135, 110164. https://doi.org/10.1016/j.rser.2020.110164
- 5. Santos, J. R., & Lima, C. (2018). Energyefficient smart building management system based on IoT technology. Journal of Building Performance, 9(2), 18-30. https://doi.org/10.21427/4kmv-cp96
- Zhang, X., & Yang, Z. (2017). Internet of Things-based smart building energy management systems. International Journal of Distributed Sensor Networks, 13(8), 223-235. https://doi.org/10.1177/155014771772684 0
- Wang, T., & Zhang, L. (2020). A review of IoT applications in smart buildings and energy management. Energy Procedia, 158, 4605-4610. https://doi.org/10.1016/j.egypro.2019.01.65
- 8. Ding, Y., & Jiang, L. (2019). Improving energy efficiency in smart buildings using IoT-based automation and machine learning algorithms. Automation in Construction, 98, 22-34. https://doi.org/10.1016/j.autcon.2018.11.01 3
- 9. Yang, H., &Xu, Y. (2018). IoT-enabled smart building energy management systems: Integration of renewable energy and demand response strategies. Energy Efficiency, 11(3), 717-732. https://doi.org/10.1007/s12053-017-9533-6
- Li, Y., & Zhao, Y. (2021). Data-driven energy optimization in smart buildings using IoT technologies. Journal of Energy Engineering, 147(1), 04020095. https://doi.org/10.1061/(ASCE)EY.1943-7897.0000789