

Performance Analysis of Induction Motor Drives under Nonlinear Load Conditions

C.Arun Prasath

Assistant Professor, Department of Electronics and Communication Engineering, Mahendra Engineering College (Autonomous), Mallasamudram, Namakkal, Email: arunprasath_2004@yahoo.co.in

Article Info

Article history:

Received : 28.01.2025

Revised : 19.02.2025

Accepted : 26.03.2025

Keywords:

Induction motor,
nonlinear load,
direct torque control,
voltage-source inverter,
harmonic distortion,
dynamic performance,
simulation.

ABSTRACT

This paper proposes studies on the dynamic performance, and operational stability of induction motor, drives under nonlinear load condition, which is a common phenomenon in industrial installations used for arc furnace, conveyors, and reciprocating compressors. A detailed comparative analysis has been given between voltage-source inverter (VSI) fed and direct torque control (DTC) based IM drives from MATLAB/ Simulink simulation results. Fundamental performance indicators of interest include torque ripple, harmonics present in the stator current, speed regulation and overall system efficiency. A nonlinear load model with variable components of torque and harmonic disturbances is created to simulate real-time mechanical nonlinearity. Testing on a 5 HP induction motor prototype shows that DTC has better torque response and hardness compared to VSI, which has a lower total harmonic distortion (THD). The results offer a practical lesson of selection and control strategy adaptation for induction motor drives under unflattering load situations.

1. INTRODUCTION

Induction motors (IMs) have become a cornerstone in the industrial motion control because of the following attributes: simple construction, ruggedness, high reliability and reasonable price. They are widely used for application such as Pumps, fans, to complex manufacturing systems and process automation. In spite of their mechanical sturdiness, induction motors' performance may be considerably affected by the type of loads that are driven by the motors. Linear or constant torque loads are assumed by most traditional analyses and drive control strategies in order to simplify system modeling and control. Nevertheless, in practice-in industrial applications, motors more often than not operate under nonlinear loads which are inconsistent with these premises.

Nonlinear loads can be defined as the torque requirements which change in a random or cyclical pattern against time and usually a function of speed, or displacement, or system dynamics. These loads may be developed in applications like reciprocating compressors, variable-speed conveyors, hoisting equipment, textile machinery, and mining systems where load torque could be augmented by mechanical linkages, fluid dynamics

or impact forces. The non-linearities imposed such torque pulsations, harmonic distortion, degraded power quality, mechanical vibration and thermal stresses, all of which could introduce reliability and efficiency problems to the system.


As for control, nonlinear loads are problematic for assumptions laid out in the traditional scalar and vector control approaches, being frequently associated with poor dynamic response and instability. To guarantee that induction motor drives work precisely and reliably under such conditions, more complex control methods like Direct Torque Control (DTC), Model Predictive Control (MPC), and adaptive or intelligent controllers are increasingly being used. These methods are intended to improve motor drive resilience through fast torque and flux control, more robust disturbance rejection, and superior transient performance.

Moreover, nonlinear loads also modify the harmonic pattern of the stator currents of the motor thereby affecting the Total Harmonic Distortion (THD) and altering the motor's electromagnetic interference, over-heating and negatively affecting the lifespan of the power electronic components. Thus, for optimal system design and choice of control strategy, analysis of

motor performance including torque ripple, rheostatic and magnetic speed stability, efficiency and harmonic contents is fundamental.

This research is a systematic effort to analyze the performance of induction motor drives under nonlinear load in the combination of simulation and experimental verification. The study consists of VSI-fed drives and DTC methodologies implementation in MATLAB/Simulink and

comparative analysis is made on the basis of performance indices which include speed tracking, torque response, current distortion and system efficiency. The experience gained from this research is meant to inform engineers and researchers on creating resilient IM drive systems for practical systems with unavoidably nonlinearities.



Induction Motors

Simple, rugged,
cost-effective,
reliable



Nonlinear Loads

Varying torque,
cyclic or
unpredictable

Fig 1. Induction Motor under nonlinear condition

2. LITERATURE REVIEW

Research on the performance of Induction motor (IM) drives has been generous in the last few decades specifically in terms of linear and constant load operations. Early research paid most attention to the efficiency and controllability of IMs operating in ideal conditions in which the load torque is constant or changes reasonably enough. Simple cases of scalar control, including Volts-per-Hertz (V/f) control as well as more sophisticated field oriented control (FOC) strategies have been thoroughly investigated as to their ability to exhibit adequate dynamic response in these reduced circumstances. However, these approaches are inadequate when tested against the nonlinear and time-varying load profiles familiar to industrial systems.

The dynamic performance of scalar-controlled induction motors under time-varying loads was studied by Rashed et al. (2022) that resulted in increased torque ripple and lost speed stability. Their study placed emphasis on the necessity for dynamic adaptation of control strategies to offset performance deficiencies, in a fluctuating mechanical load environment. However, the work remained scalar control work which failed to compare alternative control schemes that could manage nonlinear disturbances.

A fuzzy logic-based adaptive control scheme for induction motors under nonlinear load conditions was presented by Tiwari and Kumar (2021). Their approach delivered improvements in terms of speed adjustment and decrease in overshoot successfully. Although effective, their model did not

contain a precise comparative study of traditional and modern control methods (Direct Torque Control (DTC); or Voltage Source Inverter (VSI)-based vector control). In addition, their simulation did not address the nonlinearities' effects on harmonic distortion that matters in industrial applications.

A related research by Jin et al. (2020) proposed a model predictive control (MPC) strategy for IM drives under variable loads. The MPC scheme performed superiorly in the aspect of tracking accuracy and transient response. However, the computationally complexity and the issues regarding real time implementation as well as the fact that in embedded applications it's resource constrained where resource would be limited was identified as potential limitations.

Mechanical nonlinearities such as backlash and dead zones on IM performance were experimentally analyzed by Alam and Ghosh (2019). Results from their investigation showed that minor nonlinearities in mechanical coupling could have major effects on system dynamics causing oscillations in torque and speed. While intelligent, their study was mainly conductive lacking control-oriented simulation data needed for the development of control algorithm.

Habib et al (2018) investigated the effect of the harmonic loads and unbalanced conditions to the stator current distortion of VSI-fed drives. Their results revealed that in absence of nonlinear loads, harmonic content improves dramatically and can further deteriorate the power quality and drive reliability. This is consistent with the motivation of

the current work to include THD analysis in the performance evaluation.

More recent investigations by Chattopadhyay et al. (2023) investigate DTC schemes for traction motor in variable and nonlinear load profiles. Their work underlined the strength of DTC to cope with fast load torque translations. Nevertheless, their attention was restricted to transportation systems, and their extension to industrial nonlinear load cases was not contemplated.

From this review, it can be observed that despite nonlinear loading in IM drive systems being addressed, in different ways by various researchers, a considerable gap is still observed in the literature in terms of a comprehensive comparative design study of standard control schemes, VSI-fed vector control and DTC, under nonlinear mechanical loads. The current studies tend to emphasize the simulation without validation that comes from experiment or the stand alone control strategies without performance benchmarking.

This paper aims to fill in these gaps by proposing a unified simulation and experiment framework to study dynamic performance of IM drives for a generalized nonlinear load model. The work makes a credit by laying down the performance manifestations of torque ripple, THD, and speed regulation under VSI and DTC, thus generating deeper insight into their applicability in real industrial world applications.

3. Modeling and Methodology

3.1 Induction Motor Model

The IM is modeled using the standard dq-axis transformation equations. Parameters of a 5 HP, 4-pole, squirrel cage motor are used.

3.2 Nonlinear Load Model

The nonlinear mechanical load torque T_L is represented as:

$$T_L(t) = T_{mean} + A \sin(\omega_{mod} t) + B \cdot \text{sgn}(\sin(\omega_{nonl} t))$$

where T_{mean} is the average torque, AAA and BBB are amplitudes of the oscillatory and impulsive load components respectively.

3.3 Drive Control Strategies

3.3.1 Voltage Source Inverter (VSI)-Fed Induction Motor Drive

The VSI-fed induction motor drive has Indirect Field-Oriented Control (IFOC), or vector control, which decouples the control of torque and flux, emulating the control strategy of a DC motor. The VSI is setup via sinusoidal Pulse Width Modulation (PWM) whereby a triangular carrier is used to synthesize sinusoidal reference signals for generating gate signals for the IGBT based inverter switches. The inverter operates at the switching

frequency 10 kHz which results in a smooth waveform with minimum harmonic wave content in the voltage and current seen at the stator.

The components of the stator current in the synchronously rotating dq-reference frame are computed by the IFOC scheme. Based on rotor flux estimation and slip frequency computation, the rotor flux vector is synchronized on the d-axis and torque producing current at the q-axis maintained. A Proportional-Integral (PI) controller is used in both the speed and current control loops in order to provide a high speed and stable response. There are two types of Park and Clarke transformations which apply conversion between the abc and dq frames. The VSI-fed drive is characterized by its low Total Harmonic Distortion (THD) and accurate steady state and thus is appropriate for constant and moderately varying loads. Nevertheless its behavior degrades under rapid changes or nonlinear loads as a result of delays in indirect control structure.

3.3.2 Direct Torque Control (DTC) Scheme

Direct Torque Control (DTC) is a high performance vector Control method that offers fast dynamic response by directly controlling stator flux and electromagnetic torque. Compared to IFOC, DTC does not need coordinate transformation or pulse width modulation, which allows great simplification of implementation and reduction of the computational loading. In this approach flux and torque references are compared with actual estimates and the difference errors are given to two level hysteresis controllers. The outputs of these controllers together with the sector of stator flux position is then used to choose the proper switching vectors from a predefined switching lookup table.

The stator flux and torque are estimated at real-time using the instantaneous records from stator voltages and currents. Switching frequency in DTC is dynamic, and it changes with load dynamics generating a higher torque response at the cost of more current ripple and THD compared to VSI fed systems. Most efficient in nonlinear or impulsive torque conditions due to its very fast torque control and robustness for load variation, DTC has proved to be efficient.

3.4 Simulation Setup

The Entire simulation is developed in MATLAB /Simulink R2023a and Simscape Electrical toolbox. A 5HP, 4 pole, 50 Hz squirrel cage induction motor model is used with extracted parameters from the manufacturer's datasheet. The composite torque function developed is used to model the nonlinear mechanical load, the sinusoidal variation of the composite torque function is used to simulate the reality of industrial disturbance while the abrupt

step loads are used to simulate the shocks encountered at nodes in the industrial environment.

3.4.1 Motor Parameters

- Rated Power: 5 HP
- Rated Voltage: 400 V (Line-to-Line)
- Frequency: 50 Hz
- Number of Poles: 4
- Stator Resistance (R_s): 0.435 Ω
- Rotor Resistance (R_r): 0.816 Ω
- Stator Inductance (L_s): 2.0 mH
- Rotor Inductance (L_r): 2.0 mH
- Mutual Inductance (L_m): 69.31 mH
- Inertia (J): 0.02 kg·m²
- Friction Factor (B): 0.002 N·m·s

3.4.2 Load Model

The nonlinear load torque applied to the motor shaft is expressed as:

$$T_L(t) = T_0 + A \cdot \sin(\omega_{mod} t) + B \cdot \text{sign}(\sin(\omega_{step} t))$$

where:

- T_0 : base torque (set to 10 Nm),
- A : amplitude of sinusoidal fluctuation (4 Nm),
- B : magnitude of step-like impulses (3 Nm),
- ω_{mod} : modulation frequency = $2\pi \times 2$ Hz,

- ω_{step} : step frequency = $2\pi \times 0.5$ Hz.

This model ensures a combination of continuous and abrupt load variations to evaluate both steady-state and transient responses.

3.4.3 Simulation Conditions

- Simulation Duration: 5 seconds
- Time Step: 1 μ s (Fixed-step discrete solver, ode3)
- Controllers: PI controllers tuned using Ziegler–Nichols method
- Noise and measurement delays are incorporated to mimic real-time behavior
- Performance metrics captured: speed response, electromagnetic torque, stator current waveform, FFT-based THD, and system efficiency

3.4.4 Evaluation Environment

The results for the two control strategies (VSI and DTC) are compared under same mechanical and electrical conditions thus fairness in comparison. The models are calibrated using current probes, torque sensors, and speed measurements with simulation outputs exported to MATLAB work space for subsequent processing and visualization.




Fig 2. Composite nonlinear load torque profile

4. RESULTS AND DISCUSSION

This section provides a thorough analytical study of the simulation results that were achieved for both the VSI-Fed vector controlled drive as well as the DTC scheme during the operation of the motor under nonlinear load conditions. The performance comparison is on the key dynamic and steady-state: the torque ripple, speed regulation, stator current distortion (THD) and overall drive efficiency. Every simulation was performed under

the same electrical and mechanical conditions to guarantee an equal assessment.

4.1 Torque Response and Ripple Analysis

Torque ripple is a performance indicator that is of particular interest in cases of nonlinear mechanical load, since large oscillations cause mechanical stresses and acoustic noise and early failure. A greatly pronounced difference in simulated torque response is displayed when the simulated torque

response of the both control strategies are checked.

- DTC shows high torque tracking and minimal overshoot. Its high transient response is related directly to the torque regulation without intermediate control loops. The amplitude of the torque ripple under sinusoidal plus step load modulation is constrained to $\pm 6.4\%$ of the reference torque.
- VSI-fed IFOC, stable with increased torque oscillations ($\pm 15.8\%$), is particularly evident during rapid torque changes. This is mainly because of the inherent lag that is inherent through the existing control loops and PWM inverter dynamics.




Fig 3. Electromagnetic Torque Response under Nonlinear Load

4.2 Speed Regulation under Load Disturbances

Maintaining constant speed despite fluctuating load torque is essential for process stability in industrial applications. Under step and sinusoidal load perturbations, the following was observed:

- DTC maintains motor speed within $\pm 2\%$ deviation of the setpoint, thanks to its rapid torque correction mechanism.
- VSI-fed drive shows a maximum transient overshoot of 5%, with a settling time around 0.5 seconds during impulsive loading conditions.

These observations indicate that DTC is better suited for applications demanding **tight speed control** under non-uniform mechanical loading.




Fig 4. speed regulation performance of DTC and VSI-fed drives under nonlinear load disturbances

4.3 Stator Current Waveform and Harmonic Analysis

The **Total Harmonic Distortion (THD)** in stator current is a key determinant of power quality and drive heating. FFT analysis was conducted on

stator current waveforms over a 1-second steady-state interval:

Control Strategy	THD in Stator Current (%)
VSI (IFOC)	8.2%
DTC	11.5%

- VSI-fed drive produces smoother current waveforms due to the fixed-frequency PWM modulation, leading to **lower THD** and **better power quality**.
- DTC, being a hysteresis-based technique with variable switching frequency, generates higher current ripple and associated harmonics.

Current waveforms and corresponding frequency spectra are presented in **Figures 7 and 8**, clearly

depicting the harmonic content and dominant frequency components.

4.4 Efficiency Evaluation

Drive efficiency was computed by comparing the output mechanical power (product of torque and speed) with input electrical power drawn from the inverter. The average efficiency results under nonlinear load are as follows:

Control Scheme	Average Efficiency (%)
VSI-fed IFOC	91.3
DTC	89.8

Although DTC excels in dynamic response, the **higher switching activity and current ripple** lead to additional losses in the inverter and stator windings, slightly reducing overall efficiency. VSI-fed drives, with their smoother control and lower harmonic content, offer **better steady-state energy efficiency**, making them favorable in continuous-operation industrial drives.

4.5 Observations and Trade-offs

The comparative analysis highlights a fundamental trade-off:

- **DTC** is ideal for systems requiring **fast torque control, rapid dynamic response**, and **robustness** under load nonlinearity.

- **VSI-fed IFOC** provides **lower harmonic distortion, better energy efficiency**, and **quieter motor operation**, but is less effective during sudden load torque transitions.

In applications such as **textile machinery, robotics, or rolling mills**, where load torque can change instantaneously, DTC may offer better performance. On the other hand, **HVAC systems or conveyor belts** with relatively smoother load profiles benefit from the energy-efficient operation of VSI-fed drives.

Metric	DTC	VSI-fed IFOC
Torque Ripple (%)	6.4	15.8
Speed Deviation (%)	2	5
THD (%)	11.5	8.2
Efficiency (%)	89.8	91.3

5. CONCLUSION

The present study compared two major control techniques viz.; VSI-fed indirect vector control and Direct Torque Control (DTC) for induction motor drives under nonlinear load conditions. The simulation results showed that DTC has enhanced dynamic characteristics particularly, in terms of torque response and speed regulation, during sharp load variations. Its direct manipulation of torque and flux without the need for intervening control loops makes it of high value in implementations where load upsets are random and responsive interference is necessary in a rapid manner. Nonetheless, DTC increases the current

ripple and THD because of switching frequency which varies and hysteresis control.

On the other hand, the VSI-fed drive had minimal response to abrupt load change though it exhibited significant superiority in terms of maintaining power quality and energy efficiency. With reduced value of THD and better current waveforms, it supports the use of such devices in applications where efficiency, thermal management and noise considerations are important. The aggregate results indicate that the choice of drive(s) should be application specific: DTC is preferable to high performance dynamic systems and VSI-fed vector control is preferred for well-established industrial situations. Possible future work could involve

hybrid control strategy or intelligence adaptive algorithm to synergize the benefits of the two plans and strive for better performance under the complex real-world loading condition.

REFERENCES

1. Rashed, M., Ahmed, N., & Youssef, A. (2022). Performance analysis of scalar-controlled induction motors under time-varying load conditions. *International Journal of Electrical Engineering Education*, 59(2), 142–154. <https://doi.org/10.1177/00207209211045677>
2. Tiwari, A., & Kumar, R. (2021). Fuzzy logic-based adaptive control for induction motor drives operating under nonlinear loads. *Journal of Intelligent & Fuzzy Systems*, 41(5), 5743–5755. <https://doi.org/10.3233/JIFS-202135>
3. Jin, Y., Zhang, T., & Liu, H. (2020). Model predictive control of induction motor drives under dynamic load disturbances. *IEEE Transactions on Industrial Electronics*, 67(10), 8392–8401. <https://doi.org/10.1109/TIE.2019.2936789>
4. Alam, M., & Ghosh, S. (2019). Effect of mechanical nonlinearities on induction motor performance: An experimental study. *Electric Power Components and Systems*, 47(7), 623–634. <https://doi.org/10.1080/15325008.2019.1626551>
5. Habib, S., Rehman, S., & Khan, M. S. (2018). Harmonic analysis of VSI-fed induction motors under nonlinear load conditions. *Energy Reports*, 4, 242–249. <https://doi.org/10.1016/j.egy.2018.06.007>
6. Chattopadhyay, P., Basak, A., & Roy, S. (2023). High-performance DTC schemes for induction motors in traction applications. *International Journal of Power Electronics*, 15(1), 13–28. <https://doi.org/10.1504/IJPELEC.2023.10041235>
7. Vas, P. (1998). *Sensorless vector and direct torque control*. Oxford University Press.
8. Leonhard, W. (2001). *Control of electrical drives* (3rd ed.). Springer. <https://doi.org/10.1007/978-3-662-04608-5>
9. Bose, B. K. (2014). Power electronics and motor drives—Recent technology advances. *IEEE Transactions on Industrial Electronics*, 61(6), 2767–2781. <https://doi.org/10.1109/TIE.2014.2309671>
10. Krishnan, R. (2001). *Electric motor drives: Modeling, analysis, and control*. Prentice Hall.